

Listing of Claims:

1.-74. (Canceled)

75. (Currently amended) A method of reducing low density lipoprotein (LDL) while not significantly reducing high density lipoprotein (HDL) in a human subject, which method comprises administering over time a composition comprising a an isolated mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate in a quantity therapeutically effective amount and for a time period sufficient to reduce the LDL while not significantly reducing the HDL over the time of administration.

76. (Previously presented) The method of claim 75, wherein the administration is continued for at least four weeks.

77. (Currently amended) The method of claim 75 ~~76~~, wherein the administration is continued for at least twelve weeks.

78. (Currently amended) The method of ~~any of claims~~ claim 75-~~77~~, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is administered to the subject at a daily dosage rate of about 0.001mg/kg to about 200mg/kg body weight of the subject.

79. (Previously presented) The method of claim 78, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is administered at the daily dosage rate of about 0.1mg/kg to about 5mg/kg body weight of the subject.

80. (Currently amended) The method of claim 75, wherein the ~~administration~~ composition is ~~an~~ by oral composition.

81. (Currently amended) The method of claim 80, wherein the oral composition is a tablet, capsule, ~~or~~ powder, solution, suspension, emulsion, pill, pellet, or sustained-release formulation.

82. (Previously presented) The method of claim 80, wherein the oral composition contains the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture in purified form in combination with a pharmaceutically acceptable vehicle.

83. (Previously presented) The method of claim 82, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is present at a level of about 5% to about 50% (w/w) of the composition administered.

84. (Previously presented) The method of claim 75, wherein the human subject suffers from hyperlipidemia.

85. (Currently amended) A daily dosage composition suitable for oral administration to a human subject over time, which dosage composition comprises a an isolated mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate in ~~an~~ a therapeutically effective amount sufficient to reduce low density lipoprotein (LDL) while not significantly reducing high density lipoprotein (HDL), when the composition is delivered on a daily basis over time.

86. (Currently amended) The dosage ~~form~~ composition of claim 85, wherein the dosage form is a tablet, capsule, ~~or~~ powder, solution, suspension, emulsion, pill, pellet, or sustained-release formulation.

87. (Currently amended) The dosage ~~form~~ composition of claim 85, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate of the composition is in purified form and is combined with a pharmaceutically acceptable vehicle.

88. (Currently amended) The dosage ~~form~~ composition of claim 87, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate of the composition is present at a level of about 5% to about 50% (w/w) of the dosage form.

89. (Currently amended) The dosage ~~form~~ composition of claim 85 ~~as a water-based liquid,~~
wherein the mixture is combined with an oil.

90. (Currently amended) The dosage ~~form~~ composition of claim 85 ~~89~~, wherein the mixture
is combined with vegetable oil.

91. (Currently amended) The dosage ~~form~~ composition of claim 90, wherein the mixture
combined with vegetable oil is encapsulated in a capsule.

92. (Currently amended) The dosage ~~form~~ composition of claim 90, wherein the vegetable
oil ~~is chosen from~~ comprises corn oil, peanut oil, safflower oil, sunflower oil, ~~and~~ soybean oil or
a combination thereof.

93. (Currently amended) The dosage composition of claim 85, wherein the composition is to
be administered for at least 4 weeks.

94. (Currently amended) The dosage composition of claim ~~85~~ 92, wherein the composition is
to be administered for at least 12 weeks.

95. (Currently amended) The dosage composition of claim 85, wherein the composition is
for administration to a human subject that exhibits hyperlipidemia.

96. (New) The method of claim 75, wherein the theaflavin, theaflavin-3-gallate, theaflavin-
3'-gallate, and theaflavin 3,3'-digallate mixture is administered to the subject at a daily dose of
between about 70 mg to about 210 mg.

97. (New) The method of claim 81, wherein said capsule comprises a soft gel capsule or a
capsule containing a liquid.

98. (New) The method of claim 82, wherein said pharmaceutically acceptable vehicle
comprises a liquid vehicle, an excipient, an agent or a combination thereof.

99. (New) The method of claim 98, wherein said liquid vehicle comprises water, saline solution, aqueous dextrose, glycerol solutions or a combination thereof.

100. (New) The method of claim 98, wherein said excipient comprises starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, ethanol or a combination thereof.

101. (New) The method of claim 98, wherein said agent comprises a wetting agent, a stabilizing agent, an emulsifying agent, a pH buffering agent, a thickening agent, a lubricating agent, a coloring agent or a combination thereof.

102. (New) The method of claim 75, wherein the composition comprises between about 40% to about 50% theaflavin, between about 15% to about 25% theaflavin-3-gallate, between about 10% to about 14% theaflavin-3'-gallate, and between about 15% to about 25% theaflavin 3,3'-digallate mixture in purified form.

103. (New) The method of claim 82, wherein the oral composition comprises between about 40% to about 50% theaflavin, between about 15% to about 25% theaflavin-3-gallate, between about 10% to about 14% theaflavin-3'-gallate, and between about 15% to about 25% theaflavin 3,3'-digallate mixture in purified form.

104. (New) The dosage composition of claim 85, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is a daily dose of between about 70 mg to about 210 mg.

105. (New) The dosage composition of claim 86, wherein said capsule comprises a soft gel capsule or a capsule containing a liquid.

106. (New) The dosage composition of claim 87, wherein said pharmaceutically acceptable vehicle comprising a liquid vehicle, an excipient, an agent or a combination thereof.

107. (New) The dosage composition of claim 106, wherein said liquid vehicle comprises water, saline solution, aqueous dextrose, glycerol solutions or a combination thereof.

108. (New) The dosage composition of claim 106, wherein said excipient comprises starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, ethanol or a combination thereof.

109. (New) The dosage composition of claim 106, wherein said agent comprises a wetting agent, a stabilizing agent, an emulsifying agent, a pH buffering agent, a thickening agent, a lubricating agent, a coloring agent or a combination thereof.

110. (New) The dosage composition of claim 85, wherein the dosage composition comprises between about 40% to about 50% theaflavin, between about 15% to about 25% theaflavin-3-gallate, between about 10% to about 14% theaflavin-3'-gallate, and between about 15% to about 25% theaflavin 3,3'-digallate mixture in purified form.

111. (New) The dosage composition of claim 106, wherein the dosage composition comprises between about 40% to about 50% theaflavin, between about 15% to about 25% theaflavin-3-gallate, between about 10% to about 14% theaflavin-3'-gallate, and between about 15% to about 25% theaflavin 3,3'-digallate mixture in purified form.

112. (New) A method of reducing low density lipoprotein (LDL) while not significantly reducing high density lipoprotein (HDL) in a human subject, which method comprises administering over time a composition consisting essentially of a mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate in a pharmaceutically effective amount and for a time period sufficient to reduce the LDL while not significantly reducing the HDL over the time of administration.

113. (New) The method of claim 112, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is administered to the subject at a daily dosage rate of about 0.001mg/kg to about 200mg/kg body weight of the subject.

114. (New) The method of claim 112, wherein the composition is an oral composition.

115. (New) The method of claim 114, wherein the oral composition is a tablet, capsule, powder, solution, suspension, emulsion, pill, pellet, or sustained-release formulation.

116. (New) The method of claim 112, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is present at a level of about 5% to about 50% (w/w) of the composition administered.

117. (New) The method of claim 112, wherein the composition comprises between about 40% to about 50% theaflavin, between about 15% to about 25% theaflavin-3-gallate, between about 10% to about 14% theaflavin-3'-gallate, and between about 15% to about 25% theaflavin 3,3'-digallate mixture in purified form.

118. (New) The method of claim 112, wherein the human subject suffers from hyperlipidemia.

119. (New) A method of reducing low density lipoprotein (LDL) while not significantly reducing high density lipoprotein (HDL) in a human subject, which method comprises administering over time a composition consisting essentially of a mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate and at least one pharmaceutically acceptable vehicle and agent in a pharmaceutically effective amount and for a time period sufficient to reduce the LDL while not significantly reducing the HDL over the time of administration.

120. (New) The method of claim 119, wherein the administration is continued for at least four weeks.

121. (New) The method of claim 119, wherein the administration is continued for at least twelve weeks.

122. (New) The method of claim 119, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is administered to the subject at a daily dosage rate of about 0.001mg/kg to about 200mg/kg body weight of the subject.

123. (New) The method of claim 122, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is administered at the daily dosage rate of about 0.1mg/kg to about 5mg/kg body weight of the subject.

124. (New) The method of claim 119, wherein the composition is an oral composition.

125. (New) The method of claim 124, wherein the oral composition is a tablet, capsule, powder, solution, suspension, emulsion, pill, pellet, or sustained-release formulation.

126. (New) The method of claim 125, wherein said capsule comprises a soft gel capsule or a capsule containing a liquid.

127. (New) The method of claim 119, wherein said pharmaceutically acceptable vehicle comprises a liquid vehicle, an excipient, an agent or a combination thereof.

128. (New) The method of claim 127 wherein said liquid vehicle comprises water, saline solution, aqueous dextrose, glycerol solutions or a combination thereof.

129. (New) The method of claim 127 wherein said excipient comprises starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol

monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, ethanol or a combination thereof.

130. (New) The method of claim 127 wherein said agent comprises a wetting agent, a stabilizing agent, an emulsifying agent, a pH buffering agent, a thickening agent, a lubricating agent, a coloring agent or a combination thereof.

131. (New) The method of claim 119, wherein the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate mixture is present at a level of about 5% to about 50% (w/w) of the composition administered.

132. (New) The method of claim 119, wherein the composition comprises between about 40% to about 50% theaflavin, between about 15% to about 25% theaflavin-3-gallate, between about 10% to about 14% theaflavin-3'-gallate, and between about 15% to about 25% theaflavin 3,3'-digallate mixture in purified form.

133. (New) The method of claim 119, wherein the human subject suffers from hyperlipidemia.

134. (New) A method, comprising:

administering to a human a composition comprising a shell and a mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate formulated to reduce the LDL while not significantly reducing the HDL in the human.

135. (New) The method of claim 134, wherein the shell defines an interior and the mixture is disposed within the interior of the shell.

136. (New) The method of claim 134, wherein the mixture is an isolated mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate.

137. (New) The method of claim 136, wherein the mixture comprises between about 40% to about 50% theaflavin, between about 15% to about 25% theaflavin-3-gallate, between about 10% to about 14% theaflavin-3'-gallate, and between about 15% to about 25% theaflavin 3,3'-digallate mixture in purified form.

138. (New) A method, comprising:

administering to a human a composition comprising a mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate formulated to reduce the LDL while not significantly reducing the HDL in the human, a weight of the mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate being at least 5% of a weight of the composition.

139. (New) The method of claim 138, wherein the weight of the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate is at least 15% of the weight of the composition.

140. (New) The method of claim 138, wherein the weight of the theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate is between 5% and 50% of the weight of the composition.

141. (New) A daily dosage composition suitable for oral administration to a human subject over time, which dosage composition consists essentially of a mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate in an amount sufficient to reduce low density lipoprotein (LDL) while not significantly reducing high density lipoprotein (HDL), when the composition is delivered on a daily basis over time.

142. (New) A daily dosage composition suitable for oral administration to a human subject over time, which dosage composition consists essentially of a mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate and at least one pharmaceutically acceptable vehicle and agent in a therapeutically effective amount sufficient to reduce low

density lipoprotein (LDL) while not significantly reducing high density lipoprotein (HDL), when the composition is delivered on a daily basis over time.

143. (New) A daily dosage composition, comprising:

a mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate, the mixture being formulated to reduce low density lipoprotein (LDL) while not significantly reducing high density lipoprotein (HDL) in a human, a weight of the mixture being at least 5% of a weight of the composition.

144. (New) The dosage composition of claim 143, wherein the weight of the mixture is at least 15% of the weight of the composition.

145. (New) The dosage composition of claim 143, wherein the weight of the mixture is between 5% and 50% of the weight of the composition.

146. (New) The dosage composition of claim 143, wherein the mixture is an isolated mixture of theaflavin, theaflavin-3-gallate, theaflavin-3'-gallate, and theaflavin 3,3'-digallate.

147. (New) The dosage composition of claim 143, further comprising:

a shell, the mixture being disposed within the shell.